

FIELD NOTES OF M. L. FIX COUNTY ROAD

I commence at the northeast corner of section 13, T. 1 S., R. 30 E., W. M. which is a point in a present county road. At a point 30 feet north and 30 feet west of aforesaid point, I set a post 3-1/2 ft. long, 4 ins. square, marked "R" raised mound of earth 18 ins. high, 4 ft. base, around post. Thence N. 0° 17' 30" W. 2630 ft. to the N. E. corner of the S. E. 1/4 of section 12 in said township and range, thence N. 89° 46' 30" W. 2613 ft. to the center of said section 12, thence N. 1° 9' W., 37 feet to one mile, from which I set to the left 20 feet a post 3-1/2 feet long, 4 ins. square, marked "1M" and raised mound of earth 18 ins. high, 4 feet base around post.

Thence	N. 1° 9'	W.	2619 feet
"	N. 15° 54'	W.	580 "
"	N. 15° 15' 30"	E.	543 "
"	N. 1° 23' 30"	W.	349 "
"	N. 66° 33' 30"	W.	394 "
"	N. 48° 12' 30"	W.	358 "
"	N. 71° 9' 30"	W.	278 "
"	S. 69° 35'	W.	196 " to two miles, from which I set

20 feet to the left a post 3-1/2 feet long, 4 ins. square, marked "2M" and raised mound of earth 18 ins. high, 4 feet base, around post.

Thence	S. 69° 35'	W.	46 feet
"	N. 80° 19'	W.	258 "
"	N. 60° 40' 30"	W.	507.5 "
"	N. 57° 42'	W.	441 "
"	N. 46° 51' 30"	W.	581 "
"	N. 54° 2' 30"	W.	224 "
"	N. 42° 5'	W.	213 "
"	N. 26° 47'	W.	257.5 "
"	N. 27° 33'	W.	763 "



Thence N. 38° 55' 30" W. 527.5 feet  
 " N. 59° 42' W. 533 "  
 " N. 52° 39' 30" W. 268.5 "  
 " N. 9° 41' 30" W. 401 " to the S. W. corner  
 of the S. E. 1/4 of section 34, T. 1 N., R. 30 E., W. M..

Thence N. 0° 0' 30" W. 159 feet to three miles, from which I set  
 24 feet to the right a post 3-1/2 feet long 4 ins. square, marked "3 M"  
 and raised mound of earth 18 ins. high, 4 ft. base, around post.

Thence N. 0° 0' 30" W. 2502 feet to center of section 34 in said  
 township and range <sup>thence</sup> S. 89° 42' 30" W. 2643 feet to the S. W. corner  
 of the N. W. 1/4 of said section <sup>thence</sup> 34, N. 0° 10' ~~W.~~ E. 135 feet to four mile,  
 from which I set to the right 20 feet a post 3-1/2 feet long, 4 ins.  
 square, marked "4 M", and raised a mound of earth 18 inches high, 4  
 feet base, around post.

Thence N. 0° 10' E. 1385 feet  
 " N. 25° 44' W. 996 "  
 " N. 6° 12' E. 326 "  
 " N. 25° 5' E. 378 "  
 " N. 51° 30' E. 165 "  
 " N. 28° 51' E. 436 "  
 " N. 31° 42' E. 1398 "  
 " N. 9° 52' E. 96 " to five miles from which

I set, 20 feet to the right a post 3-1/2 feet long, 4 ins. square,  
 marked "5 M", and raised mound of earth 18 ins. high, 4 foot base,  
 around post.

Thence N. 9° 52' E. 471 feet to a point 930 feet east  
 of the S. W. corner of the N. W. 1/4 of Section 27 in said township  
 and range,

Thence N. 8° 45' 30" E. 962 feet  
 " N. 6° 28' E. 400 "  
 " N. 4° 2' W. 215 "  
 " N. 10° 35' W. 232 "



Thence	N. 10° 10'	W.	480 feet
"	N. 20° 27'	W.	373 "
"	N. 21° 47'	W.	351 "
"	N. 6° 10'	E.	232 "
"	N. 12° 29'	E.	300 "
"	N. 30° 51'	E.	402 "
"	N. 32° 14'	E.	862 " to six miles, from which

I set 20 feet to the left, a post 3-1/2 feet long, 4 ins. square, marked "6 M" and raised mound earth 18 ins. high, 4 ft. base, around post.

Thence	N. 32° 14'	E.	115 feet
"	N. 54° 55'	E.	486 "
"	N. 48° 50' 30"	E.	442 "
"	N. 49° 14'	E.	398 "
"	N. 25° 17'	E.	445 "
"	N. 25° 38'	E.	240.5 "
"	N. 27° 50'	E.	181 feet
"	N. 32° 27'	E.	245.5 "
"	N. 39° 15'	E.	247 "
"	N. 31° 2' 30"	E.	246 "
"	N. 39° 11' 30"	E.	444 "
"	N. 78° 46' 30"	E.	101 "
"	S. 53° 48'	E.	643 "
"	N. 89° 39'	E.	130 "
"	S. 63° 34'	E.	252 "
"	N. 84° 40' 30"	E.	531 "
"	N. 91° 27' 30"	E.	133 " to seven miles, from which

I set 20 feet to the right a post 3-1/2 feet long, 4 ins. square, marked "7 M", and raised mound of earth 18 inches high, 4 ft. base, around post.

Thence	N. 91° 27' 30"	E.	427 feet
"	N. 96° 3' 30"	E.	310 "
"	N. 79° 52' 30"	E.	193 "
"	S. 66° 27'	E.	177 "



Thence	S. 57° 39' 30" E.	170 feet
"	S. 73° 35' E.	240 "
"	S. 84° 26' 30" E.	456 "
"	S. 88° 20' 30" E.	521 "
"	N. 88° 47' E.	469 "
"	N. 78° 39' 30" E.	586 "
"	N. 87° 55' E.	457 "
"	N. 87° 37' E.	235 "
"	N. 82° 35' E.	373 "
"	N. 86° 52' 30" E.	313 "
"	N. 46° 40' E.	43 " to 8 miles from which I

set, 20 feet to the right, a post 3-1/2 feet long, 4 ins. square marked "8 M" and raised mound of earth 18 ins. high 4 ft. base, around post,

Thence	N. 46° 40' E.	150 feet
"	N. 4° 0' E.	386 "
"	N. 5° 36' W.	235 "
"	N. 12° 11' E.	287 "
"	N. 37° 25' E.	642 "
"	N. 27° 17' E.	422 "
"	N. 23° 57' E.	946 "
"	N. 13° 9-1/2' E.	328.5 "
"	N. 25° 18' E.	903 "
"	N. 34° 43' E.	381 "
"	N. 17° 47' 30" E.	368 "
"	N. 12° 49' E.	231.5 " to nine miles, from which

I set, 20 ft. to the right, a post 3-1/2 feet long, 4 ins. square marked "9 M" and raised mound of earth 18 ins. high, 4 ft. base, around post.

Thence	N. 12° 49' E.	818 feet
--------	---------------	----------

"	N. 0° 25' E.	4462 " to ten miles, from which I
---	--------------	-----------------------------------

set, 20 feet to the right, a post 3-1/2 ft. long, 4 ins. square marked "10 M" and raised mound of earth 18 ins. high, 4 ft. base, around post.



Thence	N. 0° 25'	E.	503 feet	
"	N. 44° 53' 30"	E.	1476	"
"	N. 9° 23'	E.	1503	"
"	N. 21° 17'	E.	471	"
"	N. 24° 44'	E.	756	" to a point S. 89° 25' W.

838 feet from the N. E. corner of the S. E. 1/4 of section 1, T. 1 N., R. 30 E., W. M.

Thence N. 16° 47' 30" E. 571 feet to eleven miles, from which I set 20 feet to the right, a post 3-1/2 feet long, 4 ins. square, marked "11 M", and raised mound of earth 18 ins. high, 4 ft. base, around post.

Thence N. 16° 47' 30" E. 2447 feet

" N. 1° 11' 30" E. 6 " to the N. E. corner of aforesaid section 1, Thence N. 1° 11' 30" E. 2588 feet to the N. E. corner of the S. E. 1/4 of section 36, T. 2 N., R. 30 E., W. M. a point in the center of a present County Road, from which I set 17 feet to the left, a post 3-1/2 feet long, 4 ins square marked "RT" and raised mound of earth 18 ins. high, 4 ft. base, around post.