


LAND CORNER RECORD

LL 5680.2

1. T 3N R 37E No. A 11 Cor. 1/4 Mer. Will State Oregon (Rectangular) N. F. Umatilla Dist. Pendleton <sup>2</sup>

2. Corner Status



3. Original Description Resurvey Vol. 180 Page 15 Where Recorded GLO year 1879

4. Description of Corners: Resurvey set fir post on level for 1/4 section corner.

*Saw Mon  
? file.*

Tamarack 22" di. brs. N 30° E 10 lks. dist.  
Fir 6" di. brs. S 65° W 11 lks. dist.

7. Photo Identification

Photo No. UM 32B-5

Ident. By: \_\_\_\_\_

8. Plane Coordinate Position Data

State \_\_\_\_\_ Zone \_\_\_\_\_

X \_\_\_\_\_

Y \_\_\_\_\_

Estab. By \_\_\_\_\_

Field Book No. \_\_\_\_\_

Where Filed \_\_\_\_\_

5. Investigation Notes: Found 18" fir tree w/two signs: The N.F.B. sign stated approx 1/4 cor., silver tag stated approx. 1/4 cor. Both tags initialed by L.D.B. 9-4-57.

Area has been logged. No B.Ts. A new logging road has been made since photos were taken. Fence line runs S & W from fir tree. Apparently Jess L. Roberts has private land in this area. He has no trespassing signs posted. I believe his cabin is on the aerial photo. I sprayed the 18" fir with silver paint and tied on orange ribbon.

Fence line is S 18° W approx 30' from 18" fir.

*monumented*

9. Evaluation

Authentic \_\_\_\_\_

Needs Verif.  Monument  No

Re-estab. \_\_\_\_\_ Survey \_\_\_\_\_

Land Status \_\_\_\_\_

6. Signed A. Galbraith Title Range Tech. Date 5-13-64

*A*

PERPETUATION RECORD

10. Monument:

11. Accessories

Field Book \_\_\_\_\_ Page \_\_\_\_\_

12. Set By \_\_\_\_\_ Title \_\_\_\_\_

License \_\_\_\_\_ Agency \_\_\_\_\_ Date \_\_\_\_\_

13. Recorded By \_\_\_\_\_ Volume \_\_\_\_\_ Page \_\_\_\_\_  
(Agency)

(Date) (City) (County) (State)

14. Remarks:

A-11

USDA-FOREST SERVICE

Index  
File No. 2-11


CORNER RECORD (SEARCH)  
(Ref. FSM 7151.4)

Tract or Survey No. C Cor. No. 2-11

T 4 N R. 37 E R.D. \_\_\_\_\_ County \_\_\_\_\_

Merid. \_\_\_\_\_ N.F. \_\_\_\_\_ State \_\_\_\_\_

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

None found.  
Brass Cap set by Ferguson, by Proportionment  
10-78.  
(See monumentation file)

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

No B.T.'s found.  
(New) A 7" fir, N 52° E, 60.55 ft, Scribed  $\frac{1}{4}$ " S 533 B.T.  
(New) A 9" fir, S 65° W, 40.66 ft, Scribed  $\frac{1}{4}$ " S 54 B.T.

PHOTO IDENTIFICATION DATA

Photo No. \_\_\_\_\_  
Filed At. \_\_\_\_\_  
Object Ident. \_\_\_\_\_  
Ident. By \_\_\_\_\_

*Signature*

PLANE COORDINATE POSITION DATA

State \_\_\_\_\_ Zone \_\_\_\_\_  
X \_\_\_\_\_  
Y \_\_\_\_\_  
Estab. By \_\_\_\_\_

*Agency*

Signature

*J. G. H.*

Title

Division

Headquarters

Date

*2-9-79*

7100-52-(3/68)

5

**CORNER RECORD (PERPETUATION)**

**MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT**

**ACCESSORIES : DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE**

Work Done By \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_ State Registration No. or Agency \_\_\_\_\_  
Certified Cor. Record Prepared ? Yes No Filed At: \_\_\_\_\_ Date \_\_\_\_\_

**REMARKS**

Index File No. T. R. M. Tract or Surv. No. Cor. U.S. G.P.O. 1977-725-576/586