


LAND CORNER RECORD

LL 5680.2

1. T 3N R 37E No. A 11 Cor. 1/4 Mer. Will State Oregon (Rectangular) N. F. Umatilla Dist. Pendleton ²

2. Corner Status



3. Original Description Resurvey Vol. 180 Page 15 Where Recorded GLO year 1879

4. Description of Corners: Resurvey set fir post on level for 1/4 section corner.

*Sou Mon
? file.*

Tamarack 22" di. brs. N 30° E 10 lks. dist.
Fir 6" di. brs. S 65° W 11 lks. dist.

7. Photo Identification

Photo No. UM 32B-5

Ident. By: _____

8. Plane Coordinate Position Data

State _____ Zone _____

X _____

Y _____

Estab. By _____

Field Book No. _____

Where Filed _____

5. Investigation Notes: Found 18" fir tree w/two signs: The N.F.B. sign stated approx 1/4 cor., silver tag stated approx. 1/4 cor. Both tags initialed by L.D.B. 9-4-57.

Area has been logged. No B.Ts. A new logging road has been made since photos were taken. Fence line runs S & W from fir tree. Apparently Jess L. Roberts has private land in this area. He has no trespassing signs posted. I believe his cabin is on the aerial photo. I sprayed the 18" fir with silver paint and tied on orange ribbon.

Fence line is S 18° W approx 30' from 18" fir.

monumented

9. Evaluation

Authentic _____

Needs Verif. Monument No

Re-estab. _____ Survey _____

Land Status _____

6. Signed A. Galbraith Title Range Tech. Date 5-13-64

A

PERPETUATION RECORD

10. Monument:

11. Accessories

Field Book _____ Page _____

12. Set By _____ Title _____

License _____ Agency _____ Date _____

13. Recorded By _____ Volume _____ Page _____
(Agency)

(Date) (City) (County) (State)

14. Remarks:

A-11

Index
File No. 2-11


CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or Survey No. C Cor. No. 2-11

T 4 N R. 37 E R.D. _____ County _____

Merid. _____ N.F. _____ State _____

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

None found.
Brass Cap set by Ferguson, by Proportionment
10-78.
(See monumentation file)

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

No B.T.'s found.
(New) A 7" fir, N 52° E, 60.55 ft, Scribed $\frac{1}{4}$ " S 533 B.T.
(New) A 9" fir, S 65° W, 40.66 ft, Scribed $\frac{1}{4}$ " S 54 B.T.

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Signature
J. G. H.

Title

Division

Headquarters

Date

2-9-79

7100-52-(3/68)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

ACCESSORIES : DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____
Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

REMARKS

Index File No. T. R. M. Tract or Surv. No. Cor. U.S. G.P.O. 1977-725-576/586