

Subdivisions of T. 1 N., R. 36 E.

Chains	
33.50	Top of ridge about 100 ft. above gulch, course N.E.
40.00	Set temporary $\frac{1}{4}$ sec. cor.
57.00	Bottom of gulch about 500 ft. below ridge, course N.E.
65.00	Top of ridge about 75 ft. above gulch, course N.E.
78.00	Foot of hill about 100 ft. below ridge, course N.W.
78.50	Wagon road, course N.W.
79.00	Graded road bed of the Baker City branch of the O.R. and N. Cos. Railway line, course N.W.
80.70	Intersect 25 lks. N. of the cor. to secs. 21, 22, 27 and 28. Thence I run N.89°49'W. on a true line between secs. 21 and 28..
40.35	Set a basalt stone, 12x12x10 ins., 8 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, and raised a mound of stone alongside.
80.70	The cor. to secs. 20, 21, 28 and 29. Land, mountainous. Soil, sandy loam and stony, 2nd and 3rd rate. Timber, scattering fir, pine and tamarack, with dense undergrowth of buck brush and wild cherry.
	North between secs. 20 and 21. Var. 22 $\frac{1}{2}$ °E.
9.00	Bottom of gulch about 75 ft. below cor., course E.
18.00	Top of ridge about 75 ft. above gulch, course E.
29.00	Bottom of gulch about 100 ft. below ridge, course E.
39.00	Top of ridge about 75 ft. above gulch, course E.
40.00	Set a basalt stone, 18x8x4 ins., 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, from which, A fir, 8 ins. diam., bears N.85°E., 90 lks. dist., marked $\frac{1}{4}$ S B T. A pine, 6 ins. diam., bears N.50°W., 20 lks. dist., marked $\frac{1}{4}$ S B T.
46.00	Bottom of gulch about 100 ft. below cor., course E.
58.50	Top of ridge about 100 ft. above gulch, course N.E.
80.00	Set a basalt stone, 22x12x10 ins., 16 ins. in the ground,