

## Subdivisions of T. 1 N., R. 37 E.

Chains	<p>A pine, 24 ins. diam., bears N.5°W., 360 lks. dist., marked T 1 N R 36 E S 25 B T.</p> <p>and a mound of stone around post.</p> <p>Thence I run S.89°39'E. on a true line between secs. 30 and 31.</p> <p>63.24 Set a basalt stone, 18x7x5 ins., 12 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor. marked <math>\frac{1}{4}</math> on N. face, from which,</p> <p>A pine, 12 ins. diam., bears N.35°W., 28 lks. dist., marked <math>\frac{1}{4}</math> S B T.</p> <p>A fir, 7 ins. diam., bears S.10°E., 22 lks. dist., marked <math>\frac{1}{4}</math> S B T.</p> <p>103.24 The cor. to secs. 29, 30, 31 and 32.</p> <p>Land, mountainous.</p> <p>Soil, stony, 3rd rate.</p> <p>Timber, scattering pine, fir and tamarack.</p>
17.00	<p>North between secs. 29 and 30.</p> <p style="text-align: right;">Var. 21°E.</p> <p>Ascend about 250 ft. to</p> <p>Top of ridge, course W.</p>
40.00	<p>Set a basalt stone, 15x9x6 ins., 10 ins. in the ground, for <math>\frac{1}{4}</math> sec. cor., marked <math>\frac{1}{4}</math> on W. face, and raised a mound of stone alongside.</p>
80.00	<p>Set a post, 4 ft. long, 4 ins. square, 24 ins. in the ground, for cor. to secs. 19, 20, 29 and 30, marked T 1 N S 20 on N.E., R 37 E S 29 on S.E., S 30 on S.W., and S 19 on N.W. faces, with 2 notches on S. and 4 notches on E. edges, from which,</p> <p>A fir, 18 ins. diam., bears N.40°E., 117 lks. dist., marked T 1 N R 37 E S 20 B T.</p> <p>A fir, 20 ins. diam., bears S.35°E., 14 lks. dist., marked T 1 N R 37 E S 29 B T.</p> <p>A fir, 6 ins. diam., bears S.50°W., 40 lks. dist., marked T 1 N R 37 E S 30 B T.</p> <p>A fir, 4 ins. diam., bears N.65°W., 40 lks. dist., marked T 1 N R 37 E S 19 B T.</p>