

Chal ns	Apportioned distance, point of cor. of secs. 3, 4, 9 and
80.52	10 on gravel bar, subject to overflow.
	At a point S.6°36'W., 5.21 chs.
	Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
	ground, for witness cor. to the cor. of secs. 3, 4, 9
	and 10, with brass cap marked
	WC
	T2N R33E
	S4 S3
	S9 S10
	1917
From which	A cottonwood, 10 ins. diam., bears N.76°W., 20½ lks.
	dist., marked W C T 2 N R 33 E S 9 B T.
	A cottonwood, 10 ins. diam., bears S.49°E., 77 lks.
	dist., marked W C T 2 N R 33 E S 10 B T.
	No other trees available; raise a mound of stone, 3 ft.
	base, 1½ ft. high, W. of post.
	The 1/16 sec. cor. set by County Surveyor bears S.0°25'E.
	15.01 chs. dist.
	Land, level bottom.
	Soil, rich loam, overlaid with gravel and gravel bars,
	1st and 3rd rate.
	Timber, cottonwood.
	Undergrowth, willow, thorn, clematis and cottonwood.
40.31	N. 89°28'W., resurveying the line bet. secs. 4 and 9.
	Over gravel bar adjacent to Umattilla River.
	Edge of water, 5.00 chs. wide, course S.80°W.
	Thence over bottom land, through scattering timber and
	dense undergrowth.
40.31	Intersect the ½ cor. bet. secs. 4 and 9, which is a basalt
	stone, 5x5x4 ins. above ground, firmly set, marked X on
	top. I raise a mound of stone, 2 ft. base, 1½ ft. high,
	N. of cor.
	I am advised by Garry Kimbrell of Pendleton that this stone
	is a reestablishment of the original ½ sec. cor. and