

Subdivisions, T. 2 N., R. 36 E.

Chains	
	<p>of secs. 4, 5, 32 and 33, which is a post, marked and witnessed by a stone mound as described by the Surveyor General. Set basalt stone 24 x 12 x 5 ins., 18 ins., in the ground for closing cor. for secs. 4 and 5, marked C. C. on S. face and with 4 grooves on E. and 2 grooves on W. faces. Raise mound of stone, 2 ft. base, 1½ ft. high, S. of cor. Pits impracticable.</p> <p>I destroy all marks on old cor., pertaining to the survey S.</p> <p>From the closing cor., I run</p> <p>S. 0° 04' E. on true line bet. secs. 4 and 5.</p> <p>Descend S. slope of ridge.</p>
17.00	<p>Foot of hill, 300 ft. below closing cor.</p> <p>Dry bed of stream, 5 lks. wide, course S. 35° W.</p> <p>Big spring about 7.00 chs. W. of line.</p> <p>Ascend steep N. slope through scattering timber.</p>
27.00	<p>Leave timber, bears E. and W.</p>
30.48	<p>Set ironstone, 15 x 10 x 4 ins., 10 ins. in the ground for ¼ sec. cor., marked ¼ on W. face. Raise mound of stone, 2 ft. base, 1½ ft. high, W. of cor. Pits impracticable.</p>
32.00	<p>Summit of ridge, 200 ft. high, bears E. and W.</p>
35.40	<p>Pack trail to Gibbon, bears E. and W.</p> <p>Descend steep south slope of ridge.</p>
53.00	<p>Dry bed of stream, 5 lks. wide, course S. 35° W. Small spring just above line.</p>
53.00	<p>Enter timber, bears N.E., S.W.</p>
58.50	<p>Leave timber, bears E. and W.</p> <p>Foot of mountain.</p> <p>Dry bed of stream. 5 lks. wide, course N. 80° W.</p> <p>Ascend through dense tamarack thicket, bears N. 80° W., S. 80° E.</p>
70.48	<p>The cor. of secs. 4, 5, 8 and 9.</p> <p>Land, mountainous.</p> <p>Soil, stony and loam; 3rd and 2nd rate.</p>