

Extracts from Sub.Div. lines, T.2 S.,R.32 E.,W.M.

Chains		Feet
	marked 5 notches on 1 edge. I raised a mound of stone, 2 ft. high x 4 ft. base over this stone, which I first, set 12 ins. in ground, with the 5 notches on N.	
	Thence I run Descend.	
	N. on W. Bdy. of Sec. 30.	
	Var. 18° 45' E.	
0.64	Temp. Cor. to Secs. 25,30,31 & 36, brs. E. 200 lks. dist.	
5.00	Foot of descent.	
19.20	Stanley Creek, 6 lks. wide; runs N.15°E.	
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.	
80.00	Intersect E. & W. line, 10 lks. E. of Cor. to Secs. 19, 24, 25 & 30, which is a basalt stone, 24 x 15 x 8 ins., about 12 ins. in ground, marked 4 notches on N. edge. There appears to have been a stone mound here, but washed away. I made mound of stone, 2 ft. high x 3 $\frac{1}{2}$ ft. base over the stone. Thence I run Ascend 10°	
	N. on W. Bdy. of Sec. 19.	
	Var. 18° 00' E.	
30.00	Summit of ridge, falls E. Descend	+200
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.	
80.00	Finding no trace of old Cor., I set a basalt stone, 14 x 12 x 6 ins., 10 ins. in ground for Cor. to Secs. 13, 18, 19 & 24, marked 3 notches on N. & S. edges and raised mound of earth and stone, 2 ft. high x 3 $\frac{1}{2}$ ft. base over Cor., about 750 lks. S. of Stanley Creek.	
<p>Subdivisional Lines T. 2 S., R. 31 E.,W.M. As surveyed by Daniel Chaplin,U.S.Deputy Surveyor, Under Contract No. 107, dated Sept. 21, 1864.</p>		
	N. bet. Secs. 35 & 36.	
	Descend hill.	
36.50	Foot of hill, brook, 6 lks. wide, runs N.W. Ascend hill	- 400
40.00	Set stone, 44 x 15 x 6, for $\frac{1}{4}$ Sec. Cor.	
80.00	Set post for Cor. to Secs. 25,26,35 & 36, in mound of earth, with charred stake, pits, etc., as per instructions.	
	Land; steep and stony. Soil; 3rd rate. Good grass.	