

N. Bdy., T. 3 S., R. 33 E., W.M.

Chains		Feet
20.85	Spring branch, 2 lks. wide, in ravine, course N.100 ft. deep and ascend.	
37.50	Top of ridge slopes N.E. 400 ft. above branch.	
39.00	Descend.	
40.00	Set post, 3 ft. long, 3 ins. sq., 24 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ Sec. on N. face, from which, A pine, 4 ins. diam., brs. S.64° W., 91 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 18 ins. diam., brs. N.42° E., 110 lks. dist., marked $\frac{1}{4}$ S., B.T.	
47.34	Intersect E. Bdy. of Tp. 2 S., R.32 E. at a point, 15.03 lks. N. of Cor. to Tp. 2 S., R.32 E., which is a post, 4 ins. sq., marked T.2 S., S.31 on N.E. R.33 E., S.6 on S.E. S.36 on N.W. and T.3 S., S.1 on S.W. faces. I obliterated the marks on the N.E. & S.W. faces and changed Secs. 6 to Secs. 5, with 6 notches on each edge, from which, A pine, 24 ins. diam., brs. N.30° W., 116 lks. dist., marked S.36, B.T. A pine, 24 ins. diam., brs. N.50° E., 99 lks. dist., the marks upon which I obliterated. A fir, 10 ins. diam., brs. S.30° E., 175 lks. dist., marked R.33 E., S.6, B.T. I changed Sec. 6 to S.5. A pine, 20 ins. diam., brs. S.47° W., 213 lks. dist., the marks upon which I obliterated. Whence I set a basalt stone, 14 x 8 x 6 ins., 10 ins. in ground for closing Cor. to Tps. 3 S., R.33 E., marked with 6 notches on N. & S. edges and raised mound of stone alongside. Pits impracticable, in clump of willow brush on W. slope of ridge. Land; mountainous. Soil; 2nd & 3rd rate. Scattering pine and fir timber. Undergrowth of willow and fir.	