

Exterior & Subdivisional Lines, T.2 S.,R.33 E.,W.M.

Chains		Feet
	<p>for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, X at exact Cor. point. Raised mound of stone, $1\frac{1}{2}$ ft. high x $3\frac{1}{2}$ ft. base about the stone, from which,</p> <p>A pine, 36 ins. diam., brs. W., 65 lks. dist., marked $\frac{1}{4}$ S., B.T.</p> <p>No other tree in limits. Pits impracticable.</p> <p style="text-align: right;">Sept. 19, 1891.</p>	
40.73	Enter timber.	
47.23	S. canyon, course N.30° E. Ascend steep stony mountain, 60°	1000
50.23	Leave timber.	
62.23	Summit of ridge falls S.E. Descend 38°	
74.73	Ravine S.75°E. Ascend.	75
80.23	The Cor. to Secs. 20, 21, 28 & 29.	
	Land; mountainous & stony, 80.23 chs.	
	Soil; 5th rate.	
	Timber; pine & fir, scattering, 40.23 chs.	
	S. bet. Secs. 28 & 29. Ascend.	
	Var. 20°00' E.	
2.00	Summit of ridge falls S.E. Descend	+ 130
11.50	Ravine S.75°E. Enter timber and brush. Ascend 30°	
15.00	Leave timber and brush.	
15.75	Summit of ridge falls E. Descend 30°	+ 100
18.50	Enter brush.	
19.30	Ravine, course N.E. Ascend 30°	- 100
22.00	Leave brush.	
23.00	Summit of ridge falls N.E. Descend	+ 150
40.00	Set basalt stone, 14 x 8 x 8 ins., 10 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face. Raised mound of stone, 2 ft. high x $3\frac{1}{2}$ ft. base over stone, pits impracticable, from which,	
	A pine, 30 ins. diam., brs. S.10°W., 170 lks. dist., marked $\frac{1}{4}$ S., B.T.	
	No other tree in limits.	
42.75	Ravine, course N.E. Enter timber. Ascend 35°	- 200
45.50	Leave timber.	