

Exterior & Subdivisional Lines, T.2 S., R.33 E., W.M.

Chains		Feet.
40.00	Set basalt stone, 10 x 9 x 6 ins., 8 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face; dug pits, 18 x 18 x 12 ins., E. & W. of stone, $5\frac{1}{2}$ ft. dist. Raised mound of earth 2 ft. high x $4\frac{1}{2}$ ft. base over Cor., from which, A fir, 20 ins. diam., brs. S. $52^{\circ}30'E.$, 112 lks. dist., marked $\frac{1}{4}$ S., B.T. A pine, 24 ins. diam., brs. S. $80^{\circ}E.$, 155 lks. dist., marked $\frac{1}{4}$ S., B.T. No tree on N. in limits.	
44.10	Leave field, fence brs. N.E. & S.W.	
52.50	Foot of hill.	
54.75	Pearson Creek, 15 lks. wide, runs N. $35^{\circ}W.$	
55.50	J.H. Gibson's house brs. N. 350 lks. dist.	
56.00	Ascend.	
60.00	Enter timber.	
88.00	Leave timber.	
107.25	W. edge of twin buttes.	Descend 2000
127.50	Canyon, N. $10^{\circ}E.$	Ascend 38° - 750
137.23	Intersect W. Bdy. of Tp., 475 lks. S. of Cor. to Secs. 19, 24, 25 & 30, which is A basalt stone, 16 x 12 x 11 ins., set firmly on another stone, 12 ins. in ground, marked 4 notches on N. & 2 notches on S. edges, on steep E. slope. At point of intersection, I Set basalt stone, 12 x 12 x 7 ins., 10 ins. in ground, for Closing Cor. to Secs. 19 & 30, marked 4 notches on N. edge and 2 notches on S. edge; C.C. on W. face; on S. hillside. Raised mound of stone, $1\frac{1}{2}$ ft. high x $4\frac{1}{2}$ ft. base over Cor. Pits impracticable. Var. $20^{\circ}45' E.$	
	Land; mountainous, 137.23 chs. Soil; stony 5th rate.	
	Timber; pine, fir, tamarack & cottonwood, 28 chs.	
	Undergrowth same as timber along creek, 3 chs.	
	Sept. 25, 1891	