

S. Bdy. T. 3 S., R. 30 E., W. M.

Chains		Feet
	Soil; 3rd and 2nd rate, good grass, good timber on E. 6 Chs., Pine, Fir & Tamarack.	
	S. 89° 47' E. on a true line along the S. Bdy. of Sec. 34,	
	Var. 20° 30' E.	
	Along N. mountainside,	
40.00	Set Basalt stone 16 x 10 x 8 on N. slope for $\frac{1}{4}$ Sec. Cor. A Pine 16 in. diam. brs. N. 40° W. 42 Lks. dist. " " 28 " " " S 48° E. 53 " "	
42.00	Leave timber course N. W & S. E.	
60.00	On ridge course N. E. and S. W.	180
80.00	Set Basalt stone 17 x 10 x 6 on S. side of ridge for Cor. to Sec. 34, 35, 2 and 3 from which, A Pine 28 In. diam. brs. S 45° E. 264 Lks. dist. " " 28 " " " " 66 W. 264 " "	150
	Land; surface mountainous,	
	Soil; 3rd rate, heavy grove of timber on W. $\frac{1}{2}$ mile E $\frac{1}{2}$ mile, good grass, timber; Pine, Fir and Tamarack.	
	S. 89° 47' E. on a true line along the S. Bdy. of Sec. 35,	
	Var. 21° 00' E	
	Down along S. side of open ridge	
40.00	Set Basalt stone 20 x 8 x 5 on E. side of ridge for $\frac{1}{4}$ Sec. Cor. A Pine 30 in. diam. brs. N. 12° E. 148 Lks. dist.	150
	No trees on S. side.	
54.00	Enter timber course N & S.	
73.00	Brook 12 Lks. wide course N.	300
80.00	Set Basalt stone 16 x 10 x 4 on N. slope for Cor to Sec. 35, 36, 1 & 2. A Pine 18 in. diam. Brs. N 44° E. 61 Lks. dist. " " 18 " " " S. 37° " 47 " " " " 10 " " " S. 36° W. 132 Lks. dist. " " 17 " " " N. 32° W 89 " "	