

Exterior Lines, T.3 S.,R.31 E.,W. M.

Chains		Feet
	Soil; 3rd rate. Timber; good pine, fir & tamarack. Good grass in glades.	
S. on E. Bdy. of Sec.24		
	Var.20°E.	
6.00	Summit of ridge,N.W. & S.E.	+ 50
32.50	Brook, 8 lks. wide, course W.	-100
40.00	Set stone, 18 x 12 x 4 on N.W. side of knoll for $\frac{1}{4}$ Sec.Co	+ 60
	Cor.	
	A pine, 10 ins. diam.,brs. N.72°E., 72 lks. dist.	
	A fir, 12 ins. diam.,brs. N.20°W., 53 lks. dist.	
80.00	A pine, 8 ins. diam. for Cor. to Secs. 24, 25, 19 & 30,on S.W. slope.	
	A pine, 6 ins. diam.,brs. N.40°E., 22 lks. dist.	
	A pine, 7 ins. diam.,brs. S.6°E., 40 lks. dist.	
	A pine, 14 ins. diam.,brs.S.68°W., 40 lks. dist.	
	A pine, 10 ins. diam.,brs. N.28°W., 20 lks..dist.	
	Land; surface irregular & broken.	
	Soil; 2nd rate.	
	Good timber; pine, fir & tamarack.	
	Nov. 6, 1878.	
S. on E. Bdy. of Sec. 25.		
	Var.20°E.	
3.00	Road, E. & W.	
40.00	Set fir post on nearly level ground, for $\frac{1}{4}$ Sec. Cor.	
	A pine, 9 ins. diam.,brs.E., 8 lks. dist.	
	A fir, 10 ins. diam.,brs. W., 28 lks. dist.	
80.00	Set stone, 20 x 16 x 7 on N.W. hillside, for Cor. to Secs. 25, 36, 30 & 31, from which,	
	A pine, 8 ins. diam.,brs. N.36°E., 28 lks. dist.	
	A pine, 6 ins. diam.,brs. S.70°E., 33 lks. dist.	
	A pine, 7 ins. diam.,brs. S.74°W., 47 lks. dist.	
	A tamarack, 10 ins. diam., brs. N.28°W., 48 lks. dist.	
	Land; surface irregular & rolling.	
	Soil; 2nd rate.	
	Good timber; pine, fir & tamarack.	