

Subdivisional Lines, T.3 S., R.31 E., W. M.

Chains		Feet
	N. bet. Secs. 22 & 23. Var. 21°30'E.	
22.00	Spring branch, course N.E.	
40.00	Set granite stone, 14 x 10 x 5 on N. descent of spur for $\frac{1}{4}$ Sec. Cor., A pine, 30 ins. diam., brs. S.80°E., 14 lks. dist. A tamarack, 14 ins. diam., brs. S.75°W., 17 lks. dist. Down irregular E. mountainside.	
80.00	Set granite stone, 14 x 12 x 4 on steep N. point of spur for Cor. to Secs. 14, 15, 22 & 23, from which, A tamarack, 14 ins. diam., brs. N.10°E., 25 lks. dist. A " 5 " " " S.10°E., 21 " " A " 4 " " " S.60°W., 29 " " A " 5 " " " N.46°W., 52 " " Land; surface mountainous. Soil; 3rd rate. Heavy timber; tamarack, fir & pine.	
	E. on random line bet. Secs. 14 & 23. Var. 21°15'E.	
40.00	Set post for temp. $\frac{1}{4}$ Sec. Cor.	
80.82	Intersected N. & S. line, 48 lks. S. of Cor. to Secs. 13, 14, 23 & 24, from which Cor., I run S.89°39' W. on true line bet. Secs. 14 & 23. Var. 25°30'E.	
	Steep descent.	
40.41	Set basalt stone, 14 x 10 x 8 ins. in ravine, near spring branch for $\frac{1}{4}$ Sec. Cor. A fir, 8 ins. diam., brs. N.5°E., 14 lks. dist. An alder, 8 ins. diam., brs. S.20°W., 25 lks. dist.	
62.50	Brook, 16 lks. wide, course N.	700
80.82	The Cor. to Secs. 14, 15, 22 & 23. Land; surface mountainous. Soil; 3rd rate. Heavy timber; tamarack, pine & fir.	4300