

## Subdivisional Lines, T.3 S., R.31 E., W. M.

Chains.		Feet
	A tamarack, 18 ins. diam., brs. N.30°E., 2 lks. dist.	
	A " 8 " " " S. 10 " "	
66.00	Leave timber, N.E. & S.W.	
79.00	On ridge, extending N. & S.	+500
80.20	The Cor. to Secs. 9, 10, 15 & 16.	-250
	Land; surface mountainous.	
	Soil; 3rd & 2nd rate.	
	Good timber on E.66.00 chs.; good grass on prairie.	
	May 8, 1879.	
	<hr/>	
	N. bet. Secs. 9 & 10.	
	Var.21°30'E.	
	Down along W. side of ridge, scattering timber.	
40.00	Set granite stone, 16 x 10 x 8, on W. side of ridge, for $\frac{1}{4}$ Sec. Cor.	
57.00	Spring branch, course N.E.	-600
80.00	Set basalt stone, 14 x 12 x 5 in mound of stone, on E. hillside, for Cor. to Secs. 3, 4, 9 & 10; drove stake and raised mound of stone in lieu of pits.	
	Land; surface mountainous.	
	Soil; 2nd & 1st rate and large part good for farming.	
	Some scattering timber, good bunch grass.	
	<hr/>	
	E. on random line bet. Secs. 3 & 10.	
	Var.20°00'E.	
40.00	Set post for temp. $\frac{1}{4}$ Sec. Cor.	
80.70	Intersected N. & S. line, 78 lks. N. of Cor. to Secs. 2, 3, 10 & 11, from which Cor., I run N.89°27' W. on true line bet. Secs. 3 & 10.	
	Var.23°15'E.	
6.50	Road to sawmill, course N.W. & S.E.	
40.35	Set basalt stone, 14 x 10 x 5, on W. side of mountain, for $\frac{1}{4}$ Sec. Cor.	
48.50	Brook, 30 lks. wide, course N.	-800
66.00	On ridge, course N. & S.	+400
75.50	Brook, 4 lks. wide, course N.E.	-250