

Subdivisional Lines of T. 3 S., R. 32 E.

Chains		Feet
80.12	<p>Intersected N. and S. line 16 lks. N. of Cor. to Secs. 10, 11, 14 and 15, from which Cor. I run, N. 89° 53' W. on a true line bet. Secs. 10 and 15, Var. 20° 30' E.</p>	
40.06	<p>Set a post 4 ft. long 4 ins. diam. 2 ft. in ground on W. slope for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S. on N. face, A Pine 26 ins. diam. brs. N. 58° E. 66 lks. dist. Marked $\frac{1}{4}$ S. B.T. A Pine 12 ins. diam. brs. S. 47 W. 27 lks. dist. Marked $\frac{1}{4}$ S. B.T.</p>	
00.12	<p>The Cor. to Secs. 9, 10, 15 and 16. Land; surface mountainous, Soil; 3rd and 2nd and small part 1st rate, Pine, Tamarack, and Fir timber with open glades, good grass in glades.</p>	
	<p>N. bet. Secs. 9 and 10, Var. 20° 30' E.</p>	
2.75	<p>A spring branch, course, W.</p>	
40.00	<p>Set a basalt stone 20 x 10 x 7 ins. on S.W. slope in mound of stone for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face, no trees near., raised mound of stone alongside in lieu of pits.</p>	
45.00	<p>On spur extending W., ascent about 300 ft.</p>	
74.25	<p>A spring branch, course N.W., descent about 300 ft.</p>	
80.00	<p>Set a basalt stone 18 x 9 x 6 ins. 12 ins. in ground on steep S.W. slope for Cor. to Sec. 3, 4, 9 and 10., marked with 5 notches on S. and 3 notches on E. edges from which, A Pine 7 ins. diam. brs. S. 74° W. 106 lks. dist. Marked T. 3 S., R. 32 E., S. 9 B.T. A Pine 11 ins. diam. brs. N. 45° W. 97 lks. dist. Marked T. 3 S., R. 32 E., S. 4 B.T.</p>	
	<p>No trees E. raised a mound of stone alongside in lieu of pits.</p>	