T. 4 N., R. 28 E., W.M.

Chains		Feet
40.00	Set trial 1/16 corner.	
79.92	¼ corner.	

The ¼ cor. on S. Bdy. of sec. 10 and ¼ cor. on N. Bdy.
being intervisible, I placed a 2 x 4 ins. stake mkd.
1/16 at the intersection of the 2¼ lines as a 1/16 cor.
at center of sec. and chaining to trial 1/16 cor. find
the distance equal to 0.04 chs. I then set 2 x 4 ins.
stake mkd. 1/16 as SW cor. SE¼ NE¼ on line in its prop-
er place, that is 19.98 chs. from center of the sec.

Ran

N. 0° 28' E. along line from center of the sec. to ¼ cor.
on N. Bdy. from center of the sec.

20.00	Set trial 1/16 cor. on line.	
40.12	¼ cor.	

Set 2 x 4 ins. stake mkd. 1/16 as SW cor. NW¼ NE¼ on line
in its correct position, that is, 20.06 chs. from the
center of the sec.

The NW cor. of sec. 10 being visible from the ¼ Cor. on
the W. Bdy. of sec. 10, ran

N. 0°26' E. from above ¼ cor. along W. Bdy. of the sec.

40.08	NW cor. Sec. 10.	

The NE cor. sec. 10 and the ¼ cor. on E. Bdy. being inter-
visible

I ran

N. 0° 30' E. from above ¼ cor. along the E. Bdy. of Sec.

10.00	Set trial stake on line.	
20.00	Set trial 1/16 cor. on line.	
40.16	NE cor. sec. 10.	

I then set the following cors. on line measuring from the
¼ cor.

10.04	Set 2 x 2 ins. stake as NE. cor. Farm Unit N.	