

Exterior Bdy. of T. 4 N., R. 36 E., W.M. (E. Bdy.)

Chains		Feet
75.83	<p>Intersected 1st Standard Parallel, 13 Chs. and 30 lks. W. of Standard Cor. to Tps. 5 N., Rgs. 38 & 39 E., W.M. Set basalt stone, 14 x 12 x 6 on W. face of spur, for Closing Cor. to Tps. 4 N., Rgs. 38 & 39 E., W.M. A pine, 8 ins. diam. brs. S. 68° E., 65 lks. dist. A pine, 12 ins. diam. brs. S. 50° W., 87 lks. dist. Land: surface mountainous Soil: 3rd rate and worthless Some good pine, fir, tamarack and balm timber on river bottom, the river bottom is very narrow and contains no good land.</p> <p style="text-align: right;">June 10, 1879.</p>	
<hr/> <p>Resurvey of portion of the E. Bdy. of T. 4 N., R. 38 E., W.M. As surveyed by Robert F. Omeg, U.S. Deputy Surveyor. Under Contract No. 761, Dated June 16, 1905.</p>		
<hr/> <p>Preliminary to beginning the subdivisions of T 4 N., R. 38 E. I continue the retrace of a portion of the E. Bdy. of this township. July 19, 1905. I begin at the Cor. of Secs. 13, 18, 19 & 24 on the E. Bdy. of the Township.</p>		
<p>Then I run on a retrace N. bet. Secs. 13 & 18.</p>		
40.56	Fall 34 lks. W. of the old $\frac{1}{4}$ Sec. Cor.	
81.12	Fall 73 lks. W. of the old Cor. for Secs. 7, 12, 13 & 18.	
<hr/> <p>N. on a retrace bet. Secs. 7 & 12</p>		
39.95	Fall 9 lks. W. of the old $\frac{1}{4}$ Sec. Cor.	
79.83	Fall 18 lks. W. of the old Cor. for Secs. 1, 6, 7 & 12	
<hr/> <p>N. on a retrace bet. Secs. 1 & 6</p>		
39.75	Fall 165 lks. E. of the old $\frac{1}{4}$ Sec. Cor.	
79.94	<p>Fall 85 lks. E. of the old Closing Cor. for T 4 N., Rs. 38 & 39 E.</p>	
<p>July 19, 1905: At this Cor. I set off 20° and 53.5' N. on the decl. arc. and at 12 h. and 6 m. l.m.t. observe the sun on the meridián. The resulting latitude is 45° 52' N.</p>		