

Subdivisional Lines of T 4 N., R. 38 E., W.M.

Chains		Feet
	<p>marked T 4 N S 28 on N.E., R 38 E S 33 on S.E., S 32 on S.W. and S 29 on N. W. faces, with 1 notch on S. and 4 notches on E. edges from which:</p> <p>A spruce, 12 ins. diam. brs. N. 9° E., 39 lks. dist. marked T 4 N R 38 E., S 28 B T.</p> <p>A spruce, 20 ins. diam. brs. N. 69° W., 53 lks. dist. marked T 4 N R 38 E S 29 B.T.</p> <p>A fir, 18 ins. diam. brs. S. 49° E., 63 lks. dist. marked T 4 N R 38 E S 33 B T.</p> <p>A spruce, 20 ins. diam. brs. S. 60° W., 56 lks. dist. marked T 4 N R 38 E S 32 B T.</p> <p>Land; rolling, Densely covered with forests of pine, fir and tamarack 80. Chs. Dense undergrowth; pine, fir and buckbrush. Soil; sandy loam, 2nd rate.</p>	
	<p>E. on random line bet. Secs. 28 & 33 Var. 20 3/4° E.</p>	
17.00	Wagon road, course N.E. and S.W.	
40.00	Set temp. 1/4 Sec. Cor.	
44.50	Spring brook, 3 lks. wide, runs N	
80.08	Intersect N. and S. line at Cor. to Secs. 27, 28, 33 & 34, thence I run	
	W. on true line bet. Secs. 28 & 33, with same Var.	
40.04	Set a post, 3 1/2 ft. long, 3 ins. sq., with marked stone, 24 ins. in ground for 1/4 Sec. Cor., marked 1/4 S. on N. face, from which	
	A tamarack, 24 ins. diam. brs. N. 26° W., 50 lks. dist., marked 1/4 S B T	
	A tamarack, 28 ins. diam. brs. S. 22° E., 52 lks. dist., marked 1/4 S B T	
80.08	The Cor. to Secs. 28, 29, 32 & 33 Land; rolling, densely covered with forests, fir and pine 80.08 Chs. Thick undergrowth; tamarack, fir and pine, 80.08 Chs. Soil; 2nd rate.	