

Exterior Lines of T. 4 S., R. 30 E., W.M.

Chains		Feet
44.20	<p>A Pine 6 ins. diam. brs. N. 11 lks. dist. marked $\frac{1}{4}$ S.B.T. A Pine 10 ins. diam. brs. S. 42° E. 20 lks. dist. marked $\frac{1}{4}$ S.B.T. A brook, 10 lks. wide, course S.</p>	
80.00	<p>Set a basalt stone 16 x 10 x 4 ins. on level in mound of stone for Cor. to Secs. 33, 34, 3 and 4, marked with 3 notches on E. and W. edges from which, A Pine 10 ins. diam. brs. N. 36° E. 126 lks. dist. marked T. 4 S., R. 30 E., S. 34 B.T. A Pine 9 ins. diam. brs. S. 39° E. 47 lks. dist. marked T. 5 S., R. 30 E., S. 3 B.T. A Pine 24 ins. diam. brs. S. 37° W. 15 lks. dist. marked T. 5 S., R. 30 E., S. 4 B.T. A Pine 22 ins. diam. brs. N. 45° W. 18 lks. dist. marked T. 4 S., R. 30 E., S. 33 B.T.</p>	
40.00	<p>Land; surface rolling, Soil; 3rd and 2nd rate; dense young Pine, Tamarack and Fir timber with some undergrowth. Some open glades.</p> <hr/> <p>S. 89° 51' E. on a true line along the S. Bdy of Sec. 34 Var. 17° 30' E.</p> <p>Undulating,</p> <p>Set a basalt stone 14 x 10 x 4 ins. 10 ins. in ground on N.W. slope for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, A Pine 6 ins. diam. brs. N. 28° W. 38 lks. dist. marked $\frac{1}{4}$ S.B.T. A Tamarack 9 ins. diam. brs. S. 22° W. 17 lks. dist. marked $\frac{1}{4}$ S.B.T.</p>	
80.00	<p>Set a basalt stone 12 x 8 x 7 ins. 8 ins. in ground, on slight S. slope in open glade for Cor. to Secs. 34, 35, 2 and 3. Marked with 4 notches on W. and 2 notches on E. edges. A Pine 23 ins. diam. brs. N. 71° E. 109 lks. dist. marked T. 4 S., R. 30 E., S. 35 B.T. A Pine 14 ins. diam. brs. S. 14° E. 126 lks. dist. marked T. 5 S., R. 30 E., S. 2 B.T. A Pine 24 ins. diam. brs. S. 38° W. 147 lks. dist.</p>	