

Subdivisional Lines of T. 4 S., R. 30 E. W.M.

Chains		Feet
79.94	<p>Intersected E. Bdy. 32 lks. N. of Cor. to Secs. 24 and 25 which is a stone 20 x 12 x 8, marked with 4 notches on N. edge.</p> <p>A Pine ²⁴25 ins. diam. brs. N. 48° E. 182 lks. dist. marked T. 4 S., R. 31 E., S. 19 B.T.</p> <p>A Pine 28 ins. diam. brs. S. 38° E. 196 lks. dist. marked T. 4 S., R. 31 E., S. 30 B.T.</p> <p>A Pine 10 ins. diam. brs. N. 90° W. 92 lks. dist. marked T. 4 S., R. 30 E., S. 24 B.T.</p> <p>No trees S.W., thence I run, N. 89° 46' W. on a true line bet. Secs. 24 and 25, Var. 19° 30' E.</p>	
39.97	<p>Set a basalt stone 16 x 12 x 8 ins. 11 ins. in ground on slight N.E. slope for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face.</p> <p>A Pine 15 ins. diam. brs. N. 50° E. 100 lks. dist. marked $\frac{1}{4}$ S.B.T.</p> <p>A Pine 28 ins. diam. brs. S. 5° W. 21 lks. dist. Marked $\frac{1}{4}$ S.B.T.</p>	
79.94	<p>The Cor. to Secs. 23, 24, 25 and 26.</p> <p>Land; surface undulating, Soil; 3rd and 2nd rate; open scattering Pine, timber with open glades.</p>	
	<p>N. bet. Sec. 23 and 24. Var. 20° 15' E.</p>	
15.50	<p>Wagon road, N.W. and S.E.</p>	
40.00	<p>Set a basalt stone 12 x 10 x 8 ins. 8 ins. in ground on E. slope for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face.</p> <p>A Pine 5 ins. diam. brs. S. 40° E. 24 lks. dist. marked $\frac{1}{4}$ S. B.T.</p> <p>A Pine 15 ins. diam. brs. N. 44° W. 50 lks. dist. marked $\frac{1}{4}$ S. B.T.</p>	
80.00	<p>Set a basalt stone 15 x 10 x 5 ins. 10 ins. in ground on slight E. slope for Cor. to Secs. 13, 14, 23 and 24.</p>	