

Subdivisional Lines of T. 4 S., R. 30 E., W.M.

Chains		Feet
	S. 20 on N.W.	
	No trees.	
	Land; surface undulating,	
	Soil; 3rd and 2nd and 1st rate, some Pine, Tamarack and Fir timber, but mostly open. Good grass.	
	E. on a random line bet. Secs. 21 and 28,	
		Var. 21° 30' E.
40.00	Set temp. $\frac{1}{4}$ Sec. Cor.	
63.50	Wagon road to timber, course N. & S.	
79.88	Intersected N. and S. line 22 lks. S. of Cor. to Secs. 21, 22, 27 and 28. Thence I run, S. 89° 51' W. on a true line bet. Sec. 21 and 28.	
		Var. 22° 30' E.
39.94	Set a basalt stone 18 x 12 x 4 ins. in mound of stone on stony flat for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, A Pine 12 ins. diam. brs. N. 85° E. 72 lks. dist. marked $\frac{1}{4}$ S.B.T. A Pine 16 ins. diam. brs. S. 73° W. 120 lks. dist. marked $\frac{1}{4}$ S.B.T.	
79.88	The Cor. to Secs. 20, 21, 28 and 29. Land; surface undulating, Soil; 3rd and 2nd and 1st rate, some Pine, Tamarack and Fir timber scattering with open glades.	
	N. bet. Secs. 20 and 21,	
		Var. 21° 30' E.
	Undulating	
40.00	Set a basalt stone 12 x 10 x 10 ins. 8 ins. in ground in large open glade for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W. face. No trees near, raised mound of stone alongside in lieu of pits.	
80.00	Set a basalt stone 15 x 8 x 5 ins. 10 ins. in ground of N. slope for Cor. to Secs. 16, 17, 20 and 21, marked with 3 notches on S. and 4 notches on E. edges.	