

Subdivisional Lines, T.4 S., R.32 E., W. M.

Chains 80.26	Intersected N. & S. line, 16 lks. N. of Cor. to Secs. 22, 23, 26 & 27, from which Cor., I run N.89°53'W. on true line bet. Secs. 22 & 27. Var.17°20'E.
22.00	Begin ascent of bluff.
40.13	Set tamarack post on N.E. slope for $\frac{1}{4}$ Sec. Cor. A tamarack, 12 ins. diam., brs. S.4°W., 27 lks. dist. A fir, 13 ins. diam., brs. N.24°W., 14 lks. dist.
80.26	The Cor. to Secs. 21, 22, 27 & 28. Land; surface broken. Soil; 2nd rate. Pine, tamarack & fir timber, with thick undergrowth of young timber. June 20, 1881.
	N. bet. Secs. 21 & 22. Var.20°30'E.
23.50	A brook, 6 lks. wide, course W.
31.00	" " 10 " " " S.W.
40.00	Set basalt stone, 16 x 8 x 7 on S.E. face of bluff, for $\frac{1}{4}$ Sec. Cor. A pine, 10 ins. diam., brs. N.68°E., 24 lks. dist. A fir, 14 " " " S.76°W., 41 " "
80.00	Set basalt stone, 18 x 8 x 7, on slight S.E. slope, for Cor. to Secs. 15, 16, 21 & 22. A pine, 18 ins. diam., brs. N.38°E., 48 lks. dist. A fir, 10 " " " S.68°E., 18 " " A pine, 15 " " " S.53°W., 46 " " A " 13 " " " N.85°W., 56 " "
	Land; surface very broken. Soil; 3rd & 2nd rate. Heavy pine, tamarack & fir timber, with some open glades.
	E. on random line bet. Secs. 15 & 22. Var.20°45'E.
40.00	Set post for temp. $\frac{1}{4}$ Sec. Cor.