

Subdivisional Lines, T.4 S., R.32 E., W. M.

Chains

A fir, 8 ins. diam., brs. N.40°W., 67 lks. dist.  
 Land; surface very broken.  
 Soil; 3rd & 2nd rate.  
 Heavy pine, tamarack & fir timber, with open glades.

---

E. on random line bet. Secs. 5 & 8.  
 Var.19°15'E.

40.00 Set post for temp.  $\frac{1}{4}$  Sec. Cor.

80.26 Intersected N. & S. line, at Cor. to Secs. 4, 5, 8 & 9,  
 from which Cor., I run  
 W. on true line bet. Secs. 5 & 8.  
 Var.19°15'E.

40.10 Set basalt stone, 14 x 12 x 4, on W. slope, for  $\frac{1}{4}$  Sec. Cor.  
 A pine, 18 ins. diam., brs. N.24°E., 14 lks. dist.  
 A pine, 18 ins. diam., brs. S., 9 lks. dist.

80.20 The Cor. to Secs. 5, 6, 7 & 8.  
 Land; surface very broken.  
 Soil; 2nd & 3rd rate.  
 Heavy pine, tamarack & fir timber, with some open glades.

---

W. on random line bet. Secs. 6 & 7.  
 Var.19°15'E.

40.00 Set post for Temp.  $\frac{1}{4}$  Sec. Cor.

79.36 Intersected W. Bdy., 62 lks. S. of Cor. to Secs. 6 & 7,  
 from which Cor., I run  
 S.89°33'E. on true line bet. Secs. 6 & 7.  
 Var.21°00'E.

39.36 Set basalt stone, 16 x 10 x 5, on N.E. slope, for  $\frac{1}{4}$  Sec. Cor.  
 A pine, 20 ins. diam., brs. N.12°W., 44 lks. dist.  
 A pine, 14 ins. diam., brs. S.18°E., 53 lks. dist.

79.36 The Cor. to Secs. 5, 6, 7 & 8.  
 Land; surface very broken.  
 Soil; 2nd & 3rd rate.  
 Heavy pine, tamarack & fir timber, with some open glades.