

Chains

Cor. of Secs. 2 & 3, a basalt stone, 12 x 12 x 5 ins., above ground, marked & witnessed as described in the field notes of subdivisions returned to the Surveyor-General.

Thence I run

W. on N. Bdy. of Sec. 3, on line of old blazes.

Descending through heavy timber; hill brs. N.W. & S.E.

3.50 Stream, 4 lks. wide, runs N.; ascend along the "breaks" of Mill Creek; slope N. 20° E.

40.02 Set basalt stone, 36 x 24 x 10 ins., 15 ins. in ground, (strike rock & place mound of stones firmly about Cor.) for $\frac{1}{4}$ Sec. Cor., N. Bdy. of Sec. 3, marked $\frac{1}{2}$ on N. face, from which

A fir, 20 ins. diam., brs. S. 81 $\frac{1}{2}$ ° E., 10 lks. dist., marked $\frac{1}{2}$ S 3, B T.

80.04 A point, 300 ft. above the $\frac{1}{4}$ Sec. Cor. and the temp. Closing Cor. of Secs. 3 & 4; established a true Cor. as described on pg. 35.

Land; rough & hilly.

Soil; gravelly & stony; 3rd & 4th rates.

Heavily timbered with pine, fir, tamarack & spruce.

Undergrowth; pine, fir, tamarack, spruce, chaparral, alder, willow, huckleberry and pine-grass.

Heavily timbered land, 80.04 chs.

E. on blank line, on N. Bdy. of Sec. 2; 40 chs.

Set temp. $\frac{1}{4}$ Sec. Cor., N. Bdy. Sec. 2, on line of old blazes; thence blazes deflect northward; at 79.94 chs., I fall 1 ch. S. of Closing Cor. of Secs. 1 & 2; a fir post, 4 ins. sq., 12 ins. above ground, marked & witnessed as described in the field notes of subdivisions returned to the Surveyor General.

Thence I run

S. 88° 34' W. on N. Bdy. of Sec. 2, on line of old blazes.