

Subdivisional Lines, T 5 N R 38 E W M.

Chains	
47.63	<p>A pine, 30 ins. diam., on line, I mark with 2 notches on N. & S. sides.</p> <p>Thence steep descent from spur, brs. N.30°E. & S.30°W.</p>
67.00	Foot of hill.
67.75	<p>N. Fork of Walla Walla River, 75 lks. wide, flows S.60°W.</p> <p>Thence across bottom; scattered trail along river.</p>
70.50	Leave bottom and ascend steep hill, brs. N.40°E. & S.50°W.
72.46	<p>A fir, 20 ins. diam., on line, I mark with 2 notches on N. and S. sides.</p>
73.97	<p>A fir, 30 ins. diam., on line, I mark with 2 notches on N. and S. sides.</p>
80.00	<p>A point, 200 ft. below $\frac{1}{4}$ Sec. Cor. and</p> <p>Set basalt stone, 18 x 12 x 6 ins., 13$\frac{1}{2}$ ins. in ground, for Cor. of Secs. 9, 10, 15 & 16, marked with 4 notches on S. and 3 notches on E. edges; from which</p> <p style="padding-left: 40px;">A fir, 15 ins. diam., brs. N.7°E., 44 lks. dist., marked T 5 N R 38 E S 10 B T.</p> <p style="padding-left: 40px;">A fir, 15 ins. diam., brs. S.56°E., 30 lks. dist., marked T 5 N R 38 E S 15 B T.</p> <p style="padding-left: 40px;">A fir, 15 ins. diam., brs. S.14°W., 82 lks. dist., marked T 5 N R 38 E S 16 B T.</p> <p style="padding-left: 40px;">A fir, 20 ins. diam., brs. N.11$\frac{1}{2}$°W., 76 lks. dist., marked T 5 N R 38 E S 9 B T.</p> <p>Land; mountainous, hilly & level.</p> <p>Soil; part arable, sandy loam, gravel & stone, 2nd, 3rd & 4th rates.</p> <p>Heavily timbered with fir, tamarack, spruce and pine, 67.00 chs.</p> <p>Undergrowth of chaparral, fir, tamarack, spruce, pine, yew, alder, willow & bunch grass.</p> <p>Mountainous, or heavily timbered land, 80.00 chs.</p> <p style="text-align: right;">August 1, 1899.</p>
By Deputy Wm. E. Campbell.	
Aug. 2: Determine a true meridian at Cor. of Secs. 9, 10, 15 & 16.	