

Subdivisional Lines, T 5 N R 38 E W M.

| Chains | |
|--------|--|
| 40.00 | <p>A point, 100 ft. above Sec. Cor. and Set fir post, $3\frac{1}{2}$ ft. long, 3 ins. sq., 24 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S on W. face; from which A fir, 26 ins. diam., brs. N. $72\frac{1}{2}^{\circ}$ E., 74 lks. dist., marked $\frac{1}{4}$ S 17 B T. A fir, 30 ins. diam., brs. N. 50° W., 94 lks. dist., marked $\frac{1}{4}$ S 18 B.T.</p> |
| 48.00 | Ascend gradually. |
| 65.00 | Descend gradually. |
| 86.50 | Leave timber and enter S. arm of meadows, brs. N.E. & S.W. |
| 87.13 | <p>Intersect S. Bdy. of Sec. 8, 3.55 chs. E. of Cor. of Secs. 7 & 8, as determined by the witness-tree, described by the Surveyor-General-the post being destroyed. I Set basalt stone, 15 x 10 x 6 ins., 10 ins. in ground, for Cor. of Secs. 7 & 8, marked with 1 notch on W. edge, & obliterate marks on witness-trees S.E. & S.W., as the Cor. no longer pertains to Secs. 17 & 18. At point of intersection, which is about 100 ft. below $\frac{1}{4}$ Sec. Cor., S., I Set basalt stone, 20 x 15 x 12 ins., 15 ins. in ground, for Closing Cor. of Secs. 17 & 18, marked C.C. on S. face, with 4 grooves on E. face; from which A fir, 20 ins. diam., brs. S 39° E., 49 lks. dist., marked T 5 N R 38 E S B T. A fir, 20 ins. diam., brs. S. 32° W., 1 ch., 18 lks. dist., marked T 5 N R 38 E S 18 B T. Land; mountainous and gently rolling. Soil; part arable, sandy loam; gravel & stone, 2nd, 3rd, and 4th rates.</p> |
| 87.00 | <p>Heavily timbered with fir, tamarack, spruce and pine, 87.00 chains.</p> |
| | <p>Undergrowth; fir, chaparral, huckleberry, tamarack, spruce, pine, willow, alder and bunchgrass.</p> |
| | <p>Mountainous, or heavily timbered land; 86.50 chs.</p> |
| | August 10th, 1899. |