

Subdivisional Lines, T 5 N R 39 E W M.

Chains									
	<p>A fir, 8 ins. diam., brs. S.48°E., 19 lks. dist., marked $\frac{1}{4}$ S 32 B T.</p> <p>A fir, 12 ins. diam., brs. N.50°W., 40 lks. dist., marked $\frac{1}{4}$ S 31 B T.</p> <p>Continue to desc. 403 ft. over NW. slope.</p>								
57.30	57.30 Ravine, course N.70°W.; asc. 349 ft. over SW. slope.								
	72.90 Ridge spur, slopes W.; desc. 327 ft. over NW. slope.								
	73.30 Trail, brs. E. & W.								
	81.80 Ravine, course NW.; asc. 10 ft. over SW. slope.								
	84.80 Intersect random sectional correction line, 46 lks. E. of temp. Cor. of Secs. 29, 30, 31 & 32.								
	At point for Cor.								
	Set an iron post, 3 ft. long, 2 ins. diam., 15 ins. in the ground to solid rock and in mound of stone to top, for Cor. of Secs. 29, 30, 31 & 32, with brass cap, marked								
	<table border="0"> <tr><td>T5N</td><td>R39E</td></tr> <tr><td>S30</td><td>S29</td></tr> <tr><td>S31</td><td>S32</td></tr> <tr><td>1932</td><td></td></tr> </table>	T5N	R39E	S30	S29	S31	S32	1932	
T5N	R39E								
S30	S29								
S31	S32								
1932									
	from which								
	<p>A fir, 15 ins. diam., brs. N.28°E., 97 lks. dist., marked T 5 N R 39 E S 29 B T.</p> <p>A fir, 14 ins. diam., brs. S.45°E., 51 lks. dist., marked T 5 N R 39 E S 32 B T.</p> <p>A fir, 24 ins. diam., brs. S.29°W., 81 lks. dist., marked T 5 N R 39 E S 31 B T.</p> <p>A fir, 16 ins. diam., brs. N.55°W., 81 lks. dist., marked T 5 N R 39 E S 30 B T.</p>								
	Land; mountainous.								
	Soil; sandy loam, rocky, 3rd rate.								
	Timber; fir, pine, spruce and tamarack.								
	Undergrowth; alder, vinemaple, willow, huckleberry, rose, mountain ash, Oregon grape, salal, syringa, buck brush and fern.								