Subdivisional Lines of T. 5 S., R. 30 E., W.M.

Chains		Feet
80.18	Intersect W. Bdy. of Tp., 22 lks. S. of Cor. to Secs. 19, 24, 25 & 30, which is a basalt stone, 17 x 10 x 4 ins., set firmly in ground, marked with 4 notches on N. and 2 notches on S. edges; from which,	
	A Pine, 20 ins. diam. brs. N. 55° E., 70 lks. dist. marked T. 5 S., R. 30 E., S. 19 B.T.	
	A Pine, 10 ins. diam. brs. S. 60° E. 79 lks. dist. marked T. 5 S., R. 30 E., S. 30 B.T.	
	A Pine, 10 ins. diam. brs. S. 78° W. 69 lks. dist. marked T. 5 S., 29 E., S. 25 B.T.	
	A Pine, 20 ins. diam. brs. N. 20° W., 26 lks. dist. marked T. 5 S., R. 29 E., S. 24 B.T.	
	Thence I run,	
	S. 89° 51' E. on true line bet. Secs. 19 & 30, with same Var.	
40.18	Set basalt stone, 15 x 12 x 6 ins., 10 ins. in ground for ¼ Sec. Cor., marked ¼ on N. face; from which,	
	A Pine, 30 ins. diam. brs. S. 38° W. 51 lks. dist. marked ¼ S.B.T.	
	A Pine, 10 ins. diam. brs. N. 28° E., 80 lks. dist. marked ¼ S.B.T.	
80.18	The Cor. to Secs. 19, 20, 29 & 30.	
	Land; rolling,	
	Soil; 2nd rate.	
	Densely covered with forests of Pine and fir timber, 80.18 Chs.	
	N. bet. Sec. 19 & 20.	
	Var. 20° E.	
10.50	Brook, 6 lks. wide, course S.W.	
34.50	" 6 " " " S.E.	
40.00	Set basalt stone 12 x 10 x 4 ins., 8 ins. in ground for ¼ Sec. Cor., marked ¼ on W. face, from which	
	A Tamarack, 10 ins. diam. brs. S. 76° E., 22 lks. dist. marked ¼ S.B.T.	
	A fir 10 ins. diam., brs. S. 72° W., 15 lks. dist.	