

Subdivisional Lines, T.5 S., R.33½ E., W. M.

Chains	
	<p>N.89°33'E. on true line bet. Secs. 27 & 34. With same Var.</p>
23.26	<p>The Cor. to Secs. 26, 27, 34 & 35. Land; gently rolling. Soil; 2nd rate. Heavily timbered with pine, fir & tamarack. Dense undergrowth of pine & fir.</p>
	<p>N. bet. Secs. 26 & 27 Var. 20°E. Through timber.</p>
10.00	<p>Top of hill, course E. & W. Thence over gently rolling ground to</p>
40.00	<p>Begin descent bearing E. & W. Set basalt stone, 14 x 12 x 8 ins., 10 ins. in ground, for ¼ Sec. Cor., marked ¼ S.W. face, from which A fir, 13 ins. diam., brs. N.82°W., 13 lks. dist., marked ¼ S., B.T. A tamarack, 10 ins. diam., brs. S.57°E., 34 lks. dist., marked ¼ S., B.T.</p>
59.50	<p>A spring branch runs N.W.</p>
66.00	<p>A creek, 6 lks. wide, course W. Thence descending E. & W.</p>
80.00	<p>Set basalt stone, 15 x 9 x 7 ins., 10 ins. in ground, for Cor. to Secs. 22 & 23, 26 & 27, marked 2 notches on S. and E. edges, from which A juniper, 10 ins. diam., brs. S.52°E., 67 lks. dist., marked T.5 S., R.33½ E., S.26, B.T. A juniper, 10 ins. diam., brs. N.85°E., 100 lks. dist., marked T.5 S., R.33½ E., S.23, B.T. A juniper, 12 ins. diam., brs. N.21°W., 132 lks. dist., marked T.5 S., R.33½ E., S.22, B.T. A pine, 24 ins. diam., brs. S.18°W., 62 lks. dist., marked T.5 S., R.33½ E., S.27, B.T. Land; rolling. Soil; 2nd rate.</p>