

Exterior Lines of T. 6 S., R. 30 E., W.M.

Chains	Feet
--------	------

50.00	<p>A Pine, 40 ins. in diam. brs. N. 8° E., 66 lks. dist.</p> <p>A Pine, 14 ins. in diam. brs. S. 17° W., 15 lks. dist.</p> <p>Brook, 3 lks. wide, runs E.</p>
80.00	<p>Set a basalt stone, 18 x 10 x 9 in a mound of stone, for Cor. to Secs. 1, 6, 7, 12, from which</p> <p>A Pine, 15 ins. in diam. brs. N. 17° E., 140 lks. dist.</p> <p>Land; N. 76 Chs. rolling, remainder hilly</p> <p>Soil; good 2nd rate.</p> <p>Heavy Pines and Fir timber. Undergrowth of small Pine, greasewood and laural.</p>

N. on E. Bdy. Sec. 1.

Var. 20° 15' E.

40.00	<p>Set a Pine post for $\frac{1}{4}$ Sec. Cor., from which</p> <p>A Fir, 16 ins. in diam. brs. N. 65° W., 11 lks. dist.</p> <p>A Fir, 9 ins. in diam. brs. S. 70° E., 25 lks. dist.</p>
40.84	Ravine, course N.E.
46.00	Top of ridge, brs. E. and W.
48.00	Enter dense thicket of tamarack and pine brush.
80.00	<p>Intersects at Standard Parallel, 639 lks. E. of Cor. to Secs. 35 & 36. Set a pine post for closing Cor., from which,</p> <p>A Pine, 4 ins. in diam. brs. S. 71° W., 83 lks. dist.</p> <p>A Pine, 40 ins. in diam. brs. N. 40° W., 27 lks. dist.</p> <p>A Pine, 4 ins. in diam. brs. S. 29° E., 9 lks. dist.</p> <p>Land; rolling,</p> <p>Soil; 2nd rate.</p> <p>Heavy growth of Pine and Fir timber. Dense undergrowth of small pine and tamarack brush on N. 36 Chs.</p> <p style="text-align: right;">June 16, 1881.</p>

Subdivisional Lines of T. 6 S., R. 30 E., W.M.
 As surveyed by Frank W. Campbell, & Henry Meldrom, U.S. Dep. Surv.
 Under Joint Contract, No. 380.
 Dated March 19, 1881.

N. bet. Secs. 35 & 36.