

Subdivisional Lines of T. 6 S., R. 30 E., W.M.

Chains		Feet
	N. bet. Secs. 29 & 30	
		Var. 21°31'E.
11.00	Top of hill, brs. E. and W.	
39.00	Descend hill, brs. E. and W.	
40.00	Set a pine post for $\frac{1}{4}$ Sec. Cor., from which	
	A Fir, 14 ins. in diam. brs. S. 40° W., 4 lks. dist.	
	A Pine, 20 ins. in diam. brs. N. 70° E., 7 lks. dist.	
40.60	Foot of hill, ravine, course N.W.	
47.00	Top of hill, brs. E. and W.	
55.00	Descend hill, brs. E. and W.	
60.00	Foot of hill	
	Brook, 3 lks. wide, runs W.	
67.00	Top of hill, brs. E. and W.	
78.00	Descend hill, brs. N.E. and S.W.	
80.00	Set a basalt stone, 12 x 12 x 12 and dug pits for Cor. to	
	Secs. 19, 20, 29 & 30.	
	Land; hilly	
	Soil; 2nd and 3rd rate.	
	Heavy pine timber on N. 50 Chs., balance scattering.	
	E. on a random line bet. Secs. 20 & 29	
40.00	Set a temp. $\frac{1}{4}$ Sec. Cor.	
79.74	Intersect N. and S. line, 15 lks. N. of Cor. to Secs. 20,	
	21, 28 & 29. from which Cor. I run	
	N. 89° 54' W. on a true line bet. Sec. 20 & 29	
39.87	Set a basalt stone, 20 x 15 x 8 in a mound of stone for $\frac{1}{4}$	
	Sec. Cor.	
	A Pine, 30 ins. in diam. brs. N. 27° E., 73 lks. dist.	
43.74	Ravine, course S.E.	
79.74	To Cor. to Secs. 19, 20, 29 & 30	
	Land; gently rolling	
	Soil; 2nd rate.	
	Heavy pine timber.	
		June 25 1881