

Subdivisional Lines, T 6 S R 32 E W M.

Chains

from which

A pine, 30 ins. diam., brs. S.8°W., 30 lks. dist.,
marked T 6 S R 32 E S 26 B T.

A pine, 20 ins. diam., brs. S.19°E., 71 lks. dist.,
marked T r S R 32 E S 25 B T.

A pine, 10 ins. diam., brs. N.41°E., 49 lks. dist.,
marked T 6 S R 32 E S 24 B T.

A pine, 10 ins. diam., brs. N.54°W., 56 lks. dist.,
marked T 6 S R 32 E S 23 B T.

Land; rolling bench.

Soil; 2nd rate.

Densely covered with forests of pine & fir timber, 80 chs.

Thick undergrowth of laurel, balm & willow, 80 chs.

June 5th 1883.

E. on random line bet. Secs. 24 & 25.

Var. 20°30'E.

9.00 Creek, 6 lks. wide, course S.W.

10.30 Mining ditch, course S.W.

Thence ascend over rolling ground.

40.00 Set temp. $\frac{1}{4}$ Sec. Cor.

80.00 Intersect E. Bdy. of Tp. at Cor. to Secs. 24, 25, 19 & 30,
which is a basalt stone, 16 x 12 x 8 ins., firmly set
in ground, marked with 4 notches on N. and 2 notches
on S. edges, from which

A tamarack, 18 ins. diam., brs. N.35°E., 14 lks. dist.,
marked T 6 S R 32 E S 19 B T.

A pine, 11 ins. diam., brs. S.65°E., 94 lks. dist.,
marked T 6 S R 32 E S 30 B T.

A pine, 24 ins. diam., brs. S.15°W., 84 lks. dist.,
marked T 6 S R 32 E S 25 B T.

A pine, 7 ins. diam., brs. N.10°W., 7 lks. dist.,
marked T 6 S R 32 E S 24 B T.

Thence I run

W. on true line bet. Secs. 24 & 25.

With same Var.