

Subdivisional Lines, T 6 S R 32 E W M.

Chains

A tamarack, 4 ins. diam., brs. N.32°W., 9 lks. dist.,  
marked T 6 S R 32 E S 34 B T.

A fir, 5 ins. diam., brs. S.70°W., 19 lks. dist.,  
marked T 7 S R 32 E S 3 B T.

A fir, 6 ins. diam., brs. S.61°E., 25 lks. dist.,  
marked T 7 S R 32 E S 2 B T.

I run

N. bet. Secs. 34 & 35

Var. 20°E.

Descend to John Day river.

40.00 Set basalt stone, 10 x 8 x 7 ins., 7 ins. in ground, for  $\frac{1}{4}$   
Sec. Cor., marked  $\frac{1}{4}$  on W. face, from which

A tamarack, 11 ins. diam., brs. S.30°W., 18 lks. dist.,  
marked  $\frac{1}{4}$  S B T.

A tamarack, 13 ins. diam., brs. N.20°E., 37 lks. dist.,  
marked  $\frac{1}{4}$  S B T.

56.25 John Day River, 375 lks. wide, course N.60°W., 400 ft. be-  
low  $\frac{1}{4}$  Sec. Cor.

63.50 Mining ditch, course W.

80.00 A point, 200 ft. above river,

Set pine post, 4 ft. long, 4 ins. sq., 24 ins. in ground,  
for Cor. to Secs. 26, 27, 34 & 35, marked<sup>\*</sup> with 1 notch  
on S. and 2 notches on E. edges, from which

A pine, 10 ins. diam., brs. N.66°E., 91 lks. dist.,  
marked T 6 S R 32 E S 26 B T.

A pine, 24 ins. diam., brs. S.23°E., 76 lks. dist.,  
marked T 6 S R 32 E S 35 B T.

A pine, 24 ins. diam., brs. S.66°W., 51 lks. dist.,  
marked T 6 S R 32 E S 34 B T.

A pine, 24 ins. diam., brs. N.28°W., 17 lks. dist.,  
marked T 6 S R 32 E S 27 B T.

Land; mountainous.

Soil; 2hd rate.

Densely covered with forests of pine, fir & tamarack, 80 chs.

Thick undergrowth of balm & hackmatack, 80 chs.

\*

T 6 S S 26 on N.E., R 32 E S 35 on S.E., S 34 on S.W. & S 27  
on N.W. faces.