

Subdivisional Lines, T 6 S R 32 E W M

Chains	
79.50	Intersect N. & S. line at 20 lks. N. of Cor. to Secs. 10, 11, 14 & 15 Thence I run N.89°51'W. on true line bet. Secs. 10 & 15. With same Var.
39.75	Set basalt stone, 10 x 8 x 7 ins., 7 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on N. face, from which A pine, 12 ins. diam., brs. S.25°W., 24 lks. dist., marked $\frac{1}{4}$ S B T. A pine, 18 ins. diam., brs. N.74°E., 25 lks. dist., marked $\frac{1}{4}$ S B T.
79.50	The Cor. to Secs. 9, 10, 15 & 16. Land; gently rolling. Soil; 2nd rate. Densely covered with forests of pine, fir & tamarack timber, 79.50 chs.
6.00	N. bet. Secs. 9 & 10. Var.20°E. Wagon road, course N.W. & S.E. Overgently rolling ground.
40.00	Set pine post, 3 ft. long, 3 ins. sq., 24 ins. in ground, for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S on W. face, from which, A pine, 11 ins. diam., brs. S.73°E., 12 lks. dist., marked $\frac{1}{4}$ S B T. A pine, 12 ins. diam., brs. N.60°W., 48 lks. dist., marked $\frac{1}{4}$ S B T.
40.50	Brook, 3 lks. wide, course N.W.
47.00	Top of small hill, 50 ft. above brook
80.00	Set post, 4 ft. long, 4 ins. sq., 24 ins. in ground, for Cor. to Secs. 3, 4, 9 & 10, marked T 6 S S 3 on N.E. R 32 S 10 on S.E. S 9 on S.W. and S 4 on N.W. faces, with