

## Subdivisional Lines, T 6 S R 32 E W M.

Chains	
	N. bet. Secs. 3 & 4.
	Var. 19°50'E.
2.25	Ravine, course N.W.
3.00	Brook, 3 lks. wide, course W.
31.70	Ravine, course W.
40.00	Set basalt stone, 8 x 8 x 8 ins., 5 ins. in ground, for $\frac{1}{4}$
	Sec. Cor., marked $\frac{1}{4}$ on W. face, from which
	A pine, 40 ins. diam., brs. S. 37° E., 45 lks. dist.,
	marked $\frac{1}{4}$ S B T.
	A pine, 18 ins. diam., brs. N. 61° W., 71 lks. dist.,
	marked $\frac{1}{4}$ S B T.
57.75	Ravine, course W.
74.04	Intersect the 1st Standard Parallel S. at a point, 4.32 chs.
	E. of Cor. to Secs. 32 & 33, at which point I
	Set basalt stone, 22 x 13 x 3 ins., 16 ins. in ground, for
	Closing Cor. to Secs. 3 & 4, marked C.C. with 3 notches
	on E. & W. edges, and raised mound of stone, 2 ft. high
	4 $\frac{1}{2}$ ft. base alongside.
	Land; rolling.
	Soil; 2nd rate.
	Densely covered with forests of yellow pine timber, 74.04
	chains.
	June 11th, 1883.
	From the Cor. to Secs. 4, 5, 32 & 33 on S. Bdy. of Tp.,
	which is a pine post, 4 ins. sq., marked
	T 6 S R 32 on N.E.
	R 32 E S 4 on S.E.
	T 7 S S 5 on S.W. and
	S 32 on N.W. faces, with
	4 notches on E. and
	2 notches on W. edges,
	from which
	A pine, 22 ins. diam., brs. N. 30° E., 64 lks. dist.,
	marked T 6 S R 32 E S 33 B T.
	A tamarack, 18 ins. diam., brs. S. 73° E., 71 lks. dist.,