

Subdivisional Lines, T 6 S R 33 E W M.

Chains

A tamarack, 15 ins. diam., brs. S.26°W., 29 lks. dist.,
marked T 7 S R 33 E S 3 B T.

A fir, 18 ins. diam., brs. N.40°W., 9 lks. dist.,
marked T 6 S R 33 E S 34 B T.

I run

N. bet. Secs. 34 & 35.

Var. 19°E.

Descend steep hillside, facing N.W.

2.00 Spring branch, 3 lks. wide, course N.W.

12.80 " " 5 " " " W.

Foot of hill, thence ascend.

40.00 A point, 400 ft. above last branch, and

Set pine post, 3 ft. long, 3 ins. sq., 24 ins. in ground,

for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ S on W. face, from which

A tamarack, 8 ins. diam., brs. S.22°E., 6 lks. dist.,
marked $\frac{1}{4}$ S B T.

A pine, 12 ins. diam., brs. N.8°W., 26 lks. dist.,
marked $\frac{1}{4}$ S B T.

47.00 Top of ridge, course S.W. and

Descend.

58.50 Spring branch, 3 lks. wide, course W.

79.00 Enter marsh, course E. & W.

80.00 Set alder post, 4 ft. long, 4 ins. sq., 24 ins. in ground,

for Cor. to Secs. 26, 27, 34 & 35, marked

T 6 S S 26 on N.E.

R 33 E S 35 on S.E.

S 34 on S.W. and

S 27 on N.W. faces, with

2 notches on E. and

1 notch on S. edges,

from which

An alder, 8 ins. diam., brs. N.75°E., 20 lks. dist.,
marked T 6 S R 33 E S 26 B T.

An alder, 6 ins. diam., brs. S.42°E., 32 lks. dist.,
marked T 6 S R 33 E S 35 B T.