

Subdivisional Lines, T 6 S R 35 E W M.

Chains

A black pine, 10 ins. diam., brs. S.6°W., 20 lks. dist.,
marked T 6 S R 35 E S 32 B T.

A black pine, 7 ins. diam., brs. N.48°W., 21 lks. dist.,
marked T 6 S R 35 E S 29 B T.

Land; mountainous, 80 chs.

Soil; 2nd rate.

Densely covered with forests of black pine, fir & tamarack,
80 chs.

N. bet. Secs. 28 & 29.

Var. 20 $\frac{1}{4}$ °E.

Descend about 150 ft. to

- 13.00 A spring branch, 3 lks. wide, runs S.W.
- 28.00 Top of divide, about 300 ft. above branch, course S.E.
- 37.00 A ravine, about 150 ft. below ridge, course E.
- 40.00 Set post, 3 ft. long, 3 ins. sq., 24 ins. in ground, for $\frac{1}{4}$
Sec. Cor., marked $\frac{1}{4}$ S on W. face, from which
A fir, 12 ins. diam., brs. S.50°E., 62 lks. dist.,
marked $\frac{1}{4}$ S B T.
A fir, 12 ins. diam., brs. S.55°W., 37 lks. dist.,
marked $\frac{1}{4}$ S B T.
- 61.50 Top of ridge, about 100 ft. above ravine, course E.
- 66.50 A spring branch, 2 lks. wide, runs E. about 100 ft. below
ridge.
- 71.25 Top of ridge, about 75 ft. above branch, course E.
- 78.75 A spring branch, 3 lks. wide, runs S.E.
- 80.00 Set sandstone, 18 x 12 x 6 ins., 12 ins. in ground, for Cor.
to Secs. 20, 21, 28 & 29, marked with 4 notches on E.
and 2 notches on S. edges, from which
A fir, 12 ins. diam., brs. N.40°E., 11 lks. dist.,
marked T 6 S R 35 E S 21 B T.
A fir, 12 ins. diam., brs. S.65°E., 46 lks. dist.,
marked T 6 S R 35 E S 28 B T.
A fir, 12 ins. diam., brs. S.32°W., 32 lks. dist.,
marked T 6 S R 35 E S 29 B T.