

PLAT AND RECORD OF SURVEY No. 9819

Surveyed for Perry Bros. Plants, and Lathams Mac. 7th 1878
In T 142 S R 31 E 1/4 111

Course. Degree. Minutes. Chains. Links.

9 1/2

I. Commenced at the 1/4 Sec corner on Tps line
Between T 142 S R 31 E and bet nos 5832
Which is a Stone as described in US Field Notes
Thence I run west on random line bet nos 5832
N W 21° E

- 3975 Frank Plants Horse
- 4000 bet temporary cor for nos 5-6-31 & 32
Thence west bet nos 6 & 31
- 2650 ravine course N E
- 4000 bet temporary 1/4 Sec corner
- 6900 ravine course N 10° E
- 8000 could find the Tps corner bet temporary cor
and extend my line west bet nos 1836 Tps 1836
- 3200 ravine course N E
- 4052 intersect 1/4 Sec cor bet nos 1836 Tps 1836 & 3065
Thence East on same line
- 4013 the Tps cor to Tps 142 S R 30 & 31 E 1/4 111
Thence East bet nos 6 & 31
- 4013 set Stone for 1/4 Sec cor
- 8020 set Stone for cor to nos 586 Tps 25 and 3183065
at S E cor of Frank Plants cellar door 48 feet from S W cor of same
I then proceed to the cor to nos 647 Tps 25 R 31 E
Tps 142 S R 30 1/2 E 1/4 111

Time	Degrees	Minutes	Chains	Links	
					thence North on range line bet Banges 30 42 & 31 6
40	00				Set temporary 1/4 Sec cor
50	07				bet temporary 1/4 Sec cor
					thence North bet Secs 31 & 36 on range line T/S B 30 1/2 & 31 6
140	00				Set temporary 1/4 Sec cor
66	00				course N 20° E
76	00				same course N 20° W
80	60				The corner to Secs 30 & 31 - 25 & 36 T/S B 30 1/2 & 31 6. When I find this corner a stone in and of these as described in the original U.S. Field Notes.
					Var 24° 30' E
					thence I run East on random line bet Secs 30 & 31
					for 24° 30' E
39	60				could find cor 1/4 Sec cor.
79	40				course more North
79	60				could find cor for Secs 27-28-31 & 32 - Set temporary cor
					thence East on random line bet Secs 29 & 32
40	00				could find cor 1/4 Sec cor
80	00				Intersect 30 S 1/2 N of Stone mound but no mark there
					thence East bet Secs 28 & 33
7	50				course N E
26	57				course " - NW
80	80				Intersect - 165 - lbs North of Cor to Secs 27-28-31 & 34
					thence I run West on true line setting 1/4 Sec cor on North Edge to 31 & 32 and the cor to Secs 27-28-31 & 32 at proportional distances as per, U.S. Field Notes
					And proceed to the corner to Secs 5-6-31 & 32 on 1/4 line and run North on random line bet Secs 31 & 32 Var 21° E
45	00				Set temporary 1/4 Sec cor
77	10				Intersect - E & W line previously run and at

PLAT AND RECORD OF SURVEY No. 1419

Course.	Degree. Minutes.	Chains.	Links.
---------	------------------	---------	--------

80 00 Set Temporary corner to Sec 29-30-31 & 32
 Thence North bet Sec 29 & 30 on random line

37 10 ravine N E

41 10 could find no 1/4 Sec cor

46 10 ravine runs EAST

80 00 found no cor

Thence north bet Sec 19 & 20

12 50 Jack canyon runs East-

36 40 Mt of Stone but no cor

80 00 could find no corner

Thence North bet Sec 17 & 18

4 25 gulch runs East-

31 55 gulch " " "

37 00 " " N W

78 10 the corner to Sec 7-8-17 & 18 there is
 described in R. J. Field notes

Thence South on same line and at same - 100 ft
 established corner to Sec 29-30-31 & 32 at the proposed
 distance of the whole line run. at a point 785 ft
 North of the corner to Sec 31 & 32 on p. 10 of 1/2 p.
 Thence South on same line bet Sec 31 & 32

39 75 Set Stone 20+9+2 ft 1/2 Sec corner

79 50 to the corner to Sec 5-6-31 & 32 which is 13-1/2
 West of the SW corner of Frank Phante House in
 corner of cellar door.

Then I commenced at the SW corner Sec 6
 on range line bet ranges 30 & 31 and run
 East on random line bet Sec 6 & 7

30 50 ravine course North

40 60 could find no 1/4 Sec cor but at-

41 60 intersect 150 lbs butt of Stone corner

PLAT AND RECORD OF SURVEY No. 7179

Degrees Minutes Chains Links

no described in U S Field Notes 30+24+18 inches
md at

51 75 Intersect 90 Mo South of the corner to Sec 5-6-788
this is a Stone md pits & c

Here I run north on random line
to Sec 5 & 6

Vol 22° 45' 0

40 00 Set temporary 1/4 Sec corner

79 90 Intersect 135 Mo East of the cor to Sec 5-6-31832 on the line
here 8057' 0 on true line

39 62 Set Stone 20+10+0 for 1/4 Sec cor

79 90 the corner to Sec 5-6-788

For a tract of land bought by Frank plants from Mugg Bros.
out of the NW cor Sec 5 & 2 S & 31 and SW cor Sec 32 & 1 S & 31 & 6
I run from the cor to Sec 5-6-31832

South 460 chs. thence East 247 1/2 chs. thence 151° 27' W 220 chs.
thence South 477 chs. to place of beginning at the corner to Sec
5-6-31832 and containing 1 1/2 acres.

John W. Timbrell County Surveyor
assisted by Ben Pierce and Max Peterson as sworn
chainmen and Erving Aaron Freeman

Given For Mary Kirby Apr 4th 1898

I commence at cor to Sec 4-5-32835 on the line to Sec 32834 N to 358 W on
these points to Sec 485 cor to Sec 8000 set by Sec 5-6-788
to Sec 849 8112 the cor to Sec 5-6-16 817 then N 40° 00' W to the
to Sec 4-5-889 Thence west to Sec 5-6-8 4004 1/4 Sec cor 8000 Sec cor
North to Sec 788 4010 1/4 Sec cor 8025 Sec cor

80 51 The cor to Sec 4-5-889 Thence west to Sec 5-6-8 4004 1/4 Sec cor 8000 Sec cor
North to Sec 788 4010 1/4 Sec cor 8025 Sec cor
I subdivide Sec 8 by using sight lines from established corners
and set these corners at intersection of lines as per plat

John W. Timbrell County Surveyor